

CLAIMS

1. A compound which is selected from

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid

5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid

10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid

15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid

20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid

25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid

30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid

35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid

40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid

→ 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid

→ 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid

50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid

5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid

10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-
benzoylamino}propionic acid

3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-
amino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-
amino}propionic acid

35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-
amino}propionic acid

40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-
benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 20 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6H-dioxino[5,4-f]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6H-dioxino[5,4-f]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid

5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid

10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid

15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid

20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid

25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid

30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid

35 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

40

2. A compound which is selected from


3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

45

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid
- 40 3-{4-[3-[1-(S)-(4-Chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 45 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid

 or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

3. A compound according to claim 1 or 2 for use as a medicament.

4. A pharmaceutical composition comprising at least one compound according to claim 1 together with one or more pharmaceutically acceptable carriers or excipients.

5. A pharmaceutical composition according to claim 4 in unit dosage form, said composition comprising from about 0.05 mg to about 1000 mg of the compound according to claim 1.

6. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of disorders or diseases, wherein a glucagon antagonistic action is beneficial.

7. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of glucagon-mediated disorders and diseases.

8. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of hyperglycemia.

9. Use of a compound according to claim 1 or 2 for the preparation of a medicament for lowering blood glucose in a mammal.

10. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of IGT.

11. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of Type 2 diabetes.

12. Use according to claim 11 for the preparation of a medicament for the delaying or prevention of the progression from IGT to Type 2 diabetes.

13. Use according to claim 11 for the preparation of a medicament for the delaying or prevention of the progression from non-insulin requiring Type 2 diabetes to insulin requiring Type 2 diabetes.

14. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of Type 1 diabetes.
- 5 15. Use of a compound according to claim 1 or 2 for the preparation of a medicament for the treatment and/or prevention of obesity.
16. Use according to any one of the claims 6 to 15 in a regimen which comprises treatment with a further antidiabetic agent.
- 10 17. Use according to any one of the claims 6 to 16 in a regimen which comprises treatment with a further antiobesity agent.
18. Use according to any one of the claims 6 to 17 in a regimen which additionally comprises treatment with an antihypertensive agent.
- 15 19. A method for the treatment or prevention of disorders or diseases, wherein a glucagon antagonistic action is beneficial, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
- 20 20. The method according to claim 19, wherein the effective amount of the compound is in the range of from about 0.05 mg to about 2000 mg per day.
21. The method according to claim 19, wherein the effective amount of the compound is in the range of from about 0.1 mg to about 1000 mg per day.
- 25 22. The method according to claim 19, wherein the effective amount of the compound is in the range of from about 0.5 mg to about 500 mg per day.
- 30 23. A method for the treatment or prevention of glucagon-mediated disorders and diseases, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.
- 35 24. A method for the treatment or prevention of hyperglycemia, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.

25. A method for lowering blood glucose in a mammal, said method comprising administering to said mammal an effective amount of a compound according to claim 1.

5 26. A method for the treatment or prevention of impaired glucose tolerance, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.

10 27. A method for the treatment or prevention of Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.

15 28. A method for delaying or preventing the progression from impaired glucose tolerance to Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.

20 29. A method for delaying or preventing the progression from non-insulin requiring Type 2 diabetes to insulin requiring Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.

30 30. A method for the treatment or prevention of Type 1 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.

35 31. A method for the treatment or prevention of obesity, said method comprising administering to a subject in need thereof an effective amount of a compound according to claim 1.

32. The method according to claim 19, said method further comprising administering to a subject in need thereof an antidiabetic agent.

33. The method according to claim 19, said method further comprising administering to a subject in need thereof an antiobesity agent.

34. The method according to claim 19, said method further comprising administering to a subject in need thereof an antihypertensive agent.

35. A pharmaceutical composition according to claim 4 in unit dosage form, said composition comprising from about 0.1 mg to about 500 mg of the compound according to claim 1.

36. A pharmaceutical composition according to claim 4 in unit dosage form, said composition comprising from about 0.5 mg to about 200 mg of the compound according to claim 1.

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$